



USE AND FUNCTIONS OF GROWTH FACTORS SECRETED BY MESENCHYMAL STEM CELLS

Growth factors regulate essential functions for tissue regeneration, remodeling and repair.

- They have the ability to attract and direct cells to the place where they are needed.
- They act in cell division to produce new cells.
- They promote the development of new blood vessels.
- They activate the synthesis of the cellular matrix, thus providing greater smoothness to the skin.
- They promote faster re-epithelialization, reduce discomfort and improve the results of different abrasive treatments.

EXOSOMAS

Extracellular vesicles secreted by mesenchymal stem cells. These vesicles allow intercellular communication. They are related to different cellular processes, both proliferation and control of cellular activity. Inside there are proteins, lipids and other nutritional factors important for cells. Exosomes have a size between 30 and 150 nanometers, due to their small size they are very easy to enter through the cells of the dermis and epidermis, which help to immunomodulate fibroblasts and melanocytes, helping to prevent abnormal scarring and hyperpigmentation.

BENEFITS

REJUVENATION:

Thanks to its formula with regenerative and stimulating active ingredients, this product helps rejuvenate the skin in the intimate area, restoring its vitality and luminosity.

IMPROVED APPEARANCE:

With its ability to regulate pigment production and reduce local inflammation, this product significantly improves the appearance of the intimate area, minimizing irregularities in pigmentation and redness.

HYDRATION:

It keeps the skin in the intimate area adequately hydrated, it is essential to prevent dry skin and dehydration, thanks to hyaluronic acid, promoting its softness and comfort.

REVITALIZATION:

AGF Pink Intimate revitalizes the intimate area from deep within the dermis, promoting the synthesis of collagen and elastin, resulting in fresher and more radiant skin.

FIRMNESS:

AGF Pink Intimate helps to strengthen the skin in the intimate area, restoring its firmness and natural elasticity, which is particularly beneficial after situations such as pregnancy, vaginal births or hair removal.

PROTECTION AGAINST DAMAGE AND AGING:

AGF Pink Intimate works by counteracting damage caused by free radicals and other factors that can cause aging in the intimate area, helping to preserve its health and healthy appearance.



COMPONENTS



Dictyopteris membranaceae extract

Depigmentant, regulator of the mechanisms responsible for skin pigmentation.



Growth factors + Exosomes obtained from mensequimal stem cells:

They modulate and activate regenerative processes, increase cell mobility



Hydroxyethyl Urea:

Moisturizing, increases skin elasticity.



Pisum Sativum Extract:

Reduction of dark spots, hyperpigmentation, roughness of the skin.



Amino acids:

Collagen production, protects the skin from harmful substances in the environment.



Sodium Hyaluronate, Atelocollagen:

Allowing ideal water retention to keep the skin properly moisturized.

PRODUCT DESCRIPTION

GENERIC NAME	LOTION
TYPE OF APPLICATION	TOPIC
PRESENTATION	VIAL WITH PINK FLIP OFF SEAL 6 ML BOX 1 VIAL BOX 5 VIALS
TEMPERATURE	ATMOSPHERE
TECHNICAL SPECIFICATIONS	
COLOR	YELLOW
CONSISTENCY	LIQUID
PH	ACID 4 - 4.5
PRODUCT	STERILE



INSTRUCTIONS FOR USE

Sted 1:

Clean the skin area to be treated.

Sted 2:

Use protective and antisepsis measures to safeguard the patient's integrity.

Sted 3:

Remove the FLIP OFF seal from the container and extract AGF Mesenchymal PINK Intimate with a new, sterile needle.

Sted 4:

Topically apply AGF Mesenchymal PINK in the area to be treated.

Sted 5:

Allow the product to be absorbed and let it act.

PRECAUTIONS FOR USE

- Avoid contact with the eyes
- Non-injectable product.
- Not ingestible product.
- Do not remove the aluminum seal under any circumstances.

APPLICATION MODE

Topical non-invasive application, the product is applied to the surface of the skin, allowing growth factors and exosomes to be absorbed effectively.





TREATMENT DURATION

- Minimum 4 sessions.
- Session every 3 - 4 weeks.
- Semi-annual revaluation monitoring.
- Progressive and lasting results.
- Support at home with MBIO Pink.

POST CARE - APPLICATION

- Let the product act for 4 hours on the skin surface. (Do not wash)
- Do not expose directly to the sun.
- Do not apply any topical or cosmetic medication for 24 hours.